

Sound performance -



distance no object



off the road too



gripping stuff



Delivery range 2006

Commercial vehicle tyres

Sound performance

- distance no object

ROAD

FRONT

FRONT AXLE - HEAVY TRUCKS

M 349
EURO-STEEL



- Front-axle tyre for local and long-distance haulage
- All-around tyre for buses
- Good mileage performance
- Low rolling resistance
- Excellent tracking and precise steering response
- Good wet grip
- Low noise levels

M 350 / M 249
EURO-FRONT



- Tyre for front axle use in long and short haulage, and as an all-wheel fitment on buses
- Extra wide tread area for high mileage performance
- Even wear pattern
- Safe grip in the wet
- Newly-designed tread groove helps eject stones

M 434
EURO-STEEL



- Modern front-axle tyre for local and long-distance haulage
- All-around tyre for buses
- Extended mileage performance thanks to wide shoulder bands
- Uniform wear pattern
- Good wet grip
- Low noise levels

M 234
EURO-STEEL



- Front-axle tyre for local and long-distance haulage
- Good wet grip
- Low noise levels

DIMENSIONS

275/70 R 22.5 148/145 L

M 249

245/70 R 19.5 136/134 M
265/70 R 19.5 140/138 M
285/70 R 19.5 144/142 M

M 350

295/80 R 22.5 152/148 M
315/80 R 22.5 154/150 M
(156/150 L)
315/70 R 22.5 ¹⁾ 152/148 M
(154/150 L)
385/65 R 22.5 ¹⁾ 158/- L
(160/- K)

11 R 22.5 148/145 L
12 R 22.5 152/148 L
(150/148 M)
13 R 22.5 154/150 L
(156/150 K)

10 R 22.5 140/138 L

¹⁾ pattern type differ according to size

ROAD

FRONT

FRONT AXLE - LIGHT TRUCKS

M 480 EURO-WAY



- Economical tyre for local and regional haulage
- For steer or driving axles
- Low noise levels
- Enhanced riding comfort
- Siped to provide optimum wet grip

M 205 STC-STEEL



- Reliable all-round tyre for light-trucks
- Economical tyre for light site supply

M 248 EXPRESS-STEEL



- Special tyre for light trucks and small buses
- Well suited to front axles
- Low loading height (to 75 series)
- Quiet and comfortable

M 434 EURO-STEEL



- Modern front-axle tyre for an-type trucks
- Good mileage performance thanks to flat tread contour and wide shoulder bands
- Good wet grip
- Comfortable, low noise levels

DIMENSIONS

10.00 R 20 146/143 K
11.00 R 20 150/146 K
12.00 R 20 154/150 K

7.50 R 16 121/120 L

7.00 R 16 117/116 L
7.50 R 16 121/120 L
6.00 R 16 C 103/101 N
6.50 R 16 C 108/107 N
8 R 17.5 C 117/116 L
8.5 R 17.5 121/120 L
10 R 17.5 134/132 L

205/75 R 17.5 124/122 M
215/75 R 17.5 126/124 M
225/75 R 17.5 129/127 M
235/75 R 17.5 132/130 L
(130/128 M)

Sound performance

- distance no object

ROAD

DRIVE

DRIVE AXLE - HEAVY TRUCKS

M 470 TRANS-STEEL



- Well suited to low-noise trucks
- Good mileage thanks to widened tread
- Solid tread blocks for optimal traction in the highest powered trucks
- M&S homologated

M 255 EURO-DRIVE



- Tyre for all driven axles
- Outstanding mileage performance due to regular wear and extra wide tread
- Best traction on wet and wintry roads
- M&S homologated

DIMENSIONS

275/70 R 22.5	148/145 L	245/70 R 19.5	136/134 M
315/70 R 22.5	152/148 M	265/70 R 19.5	140/138 M
	(154/150 L)	285/70 R 19.5	144/142 M
295/80 R 22.5	152/148 M		
315/80 R 22.5	154/150 M		
11 R 22.5	148/145 L		
12 R 22.5	152/148 L		

ROAD

DRIVE

LIGHT TRUCKS

M 470 TRANS-STEEL



- Modern drive-axle tyre for van-type trucks
- Good mileage performance thanks to flat contour and widened tread
- Solid tread blocks for optimum traction
- Low noise levels
- Good grip in the wet and on wintry roads
- M&S homologated

DIMENSIONS

205/75 R 17.5	124/122 M
215/75 R 17.5	126/124 M
225/75 R 17.5	129/127 M
235/75 R 17.5	132/130 L (130/128 M)

Sound performance

- distance no object

ROAD

TRAILER

TRAILER - HEAVY TRUCKS

M 422
TRAILER-STEEL



- Low-profile tyre for trailed axles
- For local and long-distance haulage
- Uniform wear pattern for longer life

M 423
TRAILER



- Low aspect ratio tyre for trailed axles
- Outstanding mileage thanks to extra wide tread
- Sturdy outer shoulders for safe true running

M 223
TRAILER



- Single tyre fitment for trailers and low loaders in long and short haulage
- Economical tyre thanks to high mileage performance
- Optimised ground pressure distribution for even wear
- Very good trackholding

M 222
TRAILER-STEEL



- Low-profile tyre for trailed axles
- For local and long-distance haulage
- Uniform wear pattern for longer life
- Good mileage performance

DIMENSIONS

7.50 R 15	135/133 G (134/132 J)	215/75 R 17.5	135/133 J	265/70 R 19.5	143/141 J	8.25 R 15	142/141 G
		235/75 R 17.5	143/141 J	385/65 R 22.5	160/ - K		(141/140 J)
11 R 22.5	148/145 J	245/70 R 17.5	143/141 J			365/80 R 20	160/157 J

SEMPERIT 

Sound performance

- off the road too

ON/OFF



FRONT

FRONT AXLE - HEAVY TRUCKS

M 233
ATHLET-FRONT



- Rugged front axle tyre. Ideal suited for on- and off the road use
- Good mileage thanks to high tread depth
- Angular tread design ejects stones

M 332
CYCLOP-STEEL N



- All-around tyre for off-road and construction-site use
- Uniform wear pattern thanks to solid shoulderband
- Precise steering response even on rough terrain

M 226
SAND-STEEL



- Special tyre for civilian and military SPVs, particularly in desert use
- Enhanced traction
- Good performance also on paved roads
- Designed to run also at low pressures

M 235
GIGANT-STEEL



- Special tyre for rough terrain
- Good grip
- Good self-cleaning properties
- Designed to run also at low pressures

DIMENSIONS

9.00 R 20 140/137 K

295/80 R 22.5 152/148 K
315/80 R 22.5 156/150 K
12 R 22.5 152/148 K
13 R 22.5 154/150 K
(156/150 G)

14.00 R 20 160/157 G

14.00 R 20 TT 164/160 G
14.00 R 20 TL 164/160 G

ON/OFF

DRIVE

DRIVE AXLE - HEAVY TRUCKS

M 232 S ATHLET-STEEL



- Drive-axle tyre for year round service and light construction-site use
- Good mileage
- Long-distance and local haulage
- Quiet
- M&S homologated

M 247 GRIP-STEEL



- For drive axles in on- and off-road use
- Solid block structure
- Kerb-resistant tread compound
- Outstanding traction
- M&S homologated

DIMENSIONS

11.00 R 20	150/146 K	12.00 R 20	154/149 K
10 R 22.5	140/138 K	315/80 R 22.5	156/150 K
13 R 22.5	154/150 L	12 R 22.5	152/148 K
		13 R 22.5	154/150 K

ON/OFF

TRAILER

TRAILER - HEAVY TRUCKS

M 277 TRAILER-STEEL



- Modern dumper and semi-trailer tyre
- Low-profile tyre technology for construction-sites and quarries
- Good resistance to stone damage and belt punctures

DIMENSIONS

385/65 R 22.5	160/ - K
---------------	----------

Sound performance

- gripping stuff

SNOW

FRONT

FRONT AXLE - HEAVY TRUCKS

M 440 SNOW-FRONT



- Numerous transverse edges ensure safe steering and improved braking performance on roads in winter
- Deep sipes provide excellent traction on packed snow and icy roads
- Wide, open grooves and angled edges in the tyre shoulder enhance the self-cleaning characteristics of the tread pattern

DIMENSIONS

295/80 R 22.5 152/148 M
315/80 R 22.5* 154/150 M
(156/150 L)

* in preparation

SNOW

DRIVE

DRIVE AXLE - HEAVY TRUCKS

M 431
SNOW-DRIVE



- High safety in snow and ice
- Best traction and braking thanks to numerous lateral edges
- Good self-cleaning characteristics through rows of flexible lugs
- Outstanding mileage performance through deep tread
- M&S homologated

M 470
TRANS-STEEL



- Well suited to low-noise trucks
- Good mileage thanks to widened tread
- Solid tread blocks for optimal traction in the highest powered trucks
- M&S homologated

M 255
EURO-DRIVE



- Tyre for all driven axles
- Outstanding mileage performance due to regular wear and extra wide tread
- Best traction on wet and wintry roads
- M&S homologated

DIMENSIONS

295/80 R 22.5	152/148 M	275/70 R 22.5	148/145 L	245/70 R 19.5	136/134 M
315/80 R 22.5	154/150 M	315/70 R 22.5	152/148 M	265/70 R 19.5	140/138 M
	(156/150 L)		(154/150 L)	285/70 R 19.5	144/142 M
12 R 22.5	152/148 L	295/80 R 22.5	152/148 M		
		315/80 R 22.5	154/150 M		
		11 R 22.5	148/145 L		
		12 R 22.5	152/148 L		

Sound performance

- Transporter-/Van-Tyres

ROAD

TRANSPORTER/VANS

M 833
TRANS-SPEED 2



- Cost-effective thanks to high mileage
- Reliable and safe in the wet
- Excellent handling and steering response
- Comfortable and smooth running

M 733
TRANS-SPEED



- Modern van-type tyre
- Low loading height, 70 and 75 series
- Minimal rolling resistance
- Precise steering response
- Low noise levels

VAN-LIFE



- Good aquaplaning resistance
- Safety through good braking behavior
- Comfortable driving behavior
- Optimised mileage
- Well balanced tyre in all situations

DIMENSIONS

205 R 14 C 109/107 P
215 R 14 C 112/110 P
165/70 R 14 C 89/ 87 R
175/75 R 16 C 101/ 99 R

185 R 15 C 103/102 R
215/70 R 15 C 109/107 R

185 R 14 C 102/100 Q
195 R 14 C 106/104 Q
175/65 R 14 C* 90/ 88 T
195/70 R 15 C 104/102 S
195/70 R 15 RF 97 T
225/70 R 15 C 112/110 R
205/65 R 15 C 102/100 T
205/65 R 15 RF 99 T
195/75 R 16 C 107/105 R
205/75 R 16 C 110/108 R
215/75 R 16 C 113/111 R
* in preparation

SNOW

TRANSPORTER/VANS

M 729
TOP-GRIP-SLG



- Modern van-type tyre
- Low loading height, 70 and 65 series
- Outstanding grip on snow and mud
- Comfortable ride
- M&S homologated

M 529 M&S
HI-GRIP



- All-year round tyre
- Self-cleaning tread pattern
- Good handling characteristics
- Minimal noise levels
- M&S homologated

VAN-GRIP



- Excellent traction on snow and ice
- Excellent protection from aquaplaning and snow slush
- Optimised mileage
- M&S homologated

DIMENSIONS

195 R 14 C 106/104 Q
(195/75 R 14 C)
185 R 15 C 103/102 R
215/70 R 15 C 109/107 R

205 R 16 RF 104/ - R

165/70 R 14 C 89/ 87 R
175/65 R 14 C 90/ 88 T
185 R 14 C 102/100 Q
195/70 R 15 C 104/102 R
195/70 R 15 RF 97 T
225/70 R 15 C 112/110 R
205/65 R 15 RF 99 T
205/65 R 15 C 102/100 T
195/65 R 16 C 104/102 T
205/65 R 16 C 107/105 T
215/65 R 16 C* 109/107 R
195/60 R 16 C 99/ 97 T

* in preparation

Sound performance

LOAD-INDICES (LI)

LI	kg	LI	kg	LI	kg	LI	kg	LI	kg	LI	kg
19	77.5	50	190	81	462	112	1120	143	2725	174	6700
20	80	51	195	82	475	113	1150	144	2800	175	6900
21	82.5	52	200	83	487	114	1180	145	2900	176	7100
22	85	53	206	84	500	115	1215	146	3000	177	7300
23	87.5	54	212	85	515	116	1250	147	3075	178	7500
24	90	55	218	86	530	117	1285	148	3150	179	7750
25	92.5	56	224	87	545	118	1320	149	3250	180	8000
26	95	57	230	88	560	119	1360	150	3350	181	8250
27	97.5	58	236	89	580	120	1400	151	3450	182	8500
28	100	59	243	90	600	121	1450	152	3550	183	8750
29	103	60	250	91	615	122	1500	153	3650	184	9000
30	106	61	257	92	630	123	1550	154	3750	185	9250
31	109	62	265	93	650	124	1600	155	3875	186	9500
32	112	63	272	94	670	125	1650	156	4000	187	9750
33	115	64	280	95	690	126	1700	157	4125	188	10000
34	118	65	290	96	710	127	1750	158	4250	189	10300
35	121	66	300	97	730	128	1800	159	4375	190	10600
36	125	67	307	98	750	129	1850	160	4500	191	10900
37	128	68	315	99	775	130	1900	161	4625	192	11200
38	132	69	325	100	800	131	1950	162	4750	193	11500
39	136	70	335	101	825	132	2000	163	4875	194	11800
40	140	71	345	102	850	133	2060	164	5000	195	12150
41	145	72	355	103	875	134	2120	165	5150	196	12500
42	150	73	365	104	900	135	2180	166	5300	197	12850
43	155	74	375	105	925	136	2240	167	5450	198	13200
44	160	75	387	106	950	137	2300	168	5600	199	13600
45	165	76	400	107	975	138	2360	169	5800	200	14000
46	170	77	412	108	1000	139	2430	170	6000	201	14500
47	175	78	425	109	1030	140	2500	171	6150	202	15000
48	180	79	437	110	1060	141	2575	172	6300	203	15500
49	185	80	450	111	1090	142	2650	173	6500	204	16000

Geschäftsbereich Semperit
Büttnerstraße 25
D-30165 Hannover

Telephone 00 49-5 11-9 38-01
Telefax 00 49-5 11-9 38-20 75
Telex 9 21 70 con-d

Postfach 169 · D-30001 Hannover

A	Semperit Reifen Ges.m.b.H. Abt. NFZ Österreich	Wienersdorfer Straße 20-24 2514 Traiskirchen	Telephone Telefax	00 43-22 52-5 01-28 71 00 43-22 52-5 01-20 03
B	Continental Benelux S.A.	Excelsiorlaan 61 1930 Zaventem	Telephone Telefax	0032-2-7102-211 0032-2-7102-290
CH	Continental Suisse S.A.	Lerzenstraße 19 8953 Dietikon	Telephone Telefax	0041-1-7455600 0041-1-7455630
DK	Continental Dæck Danmark A/S	Park Allé 370 2605 Brøndby	Telephone Telefax	0045-43-230400 0045-43-230401
E	Continental Industrias del Caucho, S. A.	Avda. de Castilla 1 Edificio 1, Planta 2 28830 San Fernando de Henares (Madrid)	Telephone Telefax	0034-91-6603621 0034-91-6564836
F	Continental France - SNC	Lieu dit „Le Bac à l’Aumône“ 60280 Clairoix	Telephone Telefax	0033-3-44407111 0033-3-44407489
GB	Continental Tyre Group Ltd.	191 High Street Yiewsley West Drayton, Middlesex, UB7 7XW	Telephone Telefax	0044-1895-425900 0044-1895-425908
H	Continental Kft.	Depot Raktárváros, Pf.15 2046 Törökbálint	Telephone Telefax	0036-23-335901 0036-23-335463
I	Continental Italia S.p.A.	Via Pietro Rondoni 1 20146 Milano	Telephone Telefax	0039-02-424101 0039-02-42410200
N	Continental Dekk Norge A/S	Smalvollvejen 58 0611 Oslo	Telephone Telefax	0047-23068000 0047-23068001
NL	Continental Banden Groep B.V.	Nijverheidsweg 50 3771 ME Barneveld	Telephone Telefax	0031-34-2497911 0031-34-2497380
P	Continental Pneus S.A.	Apartado 5029 4760 Lousado	Telephone Telefax	00351-52-490233 00351-52-493623
PL	Continental Opony Polska Sp.zo.o.	ul. Grójecka 194 02390 Warszawa	Telephone Telefax	0048-22-6687627 0048-22-6688152
S	Continental Däck Sverige AB	Första Långgatan 30 40032 Gothenburg	Telephone Telefax	0046-31-7758000 0046-31-246850
SF	Continental Rengas Oy	Itälahdenkatu 27 A 00211 Helsinki	Telephone Telefax	00358-9-32990-0 00358-9-32990-400

A sound investment

	ROAD	ON/OFF	SNOW
FRONT	FRONT AXLE - HEAVY TRUCKS	FRONT AXLE - HEAVY TRUCKS	FRONT AXLE - HEAVY TRUCKS
	M 349 EURO-STEEL M 350 EURO-FRONT M 434 EURO-STEEL M 234 EURO-STEEL M 480 EURO-WAY M 249 EURO-FRONT	M 233 ATHLET-FRONT M 332 CYCLOP-STEEL N M 226 SAND-STEEL M 235 GIGANT-STEEL	M 440 SNOW-FRONT
	FRONT AXLE - LIGHT TRUCKS		
	M 205 STC-STEEL M 248 EXPRESS-STEEL M 434 EURO-STEEL		
DRIVE	DRIVE AXLE - HEAVY TRUCKS	DRIVE AXLE - HEAVY TRUCKS	DRIVE AXLE - HEAVY TRUCKS
	M 470 TRANS-STEEL M 255 EURO-DRIVE	M 232 S ATHLET-STEEL M 247 GRIP-STEEL	M 431 SNOW-DRIVE M 470 TRANS-STEEL M 255 EURO-DRIVE
	DRIVE AXLE - LIGHT TRUCKS		
	M 470 TRANS-STEEL		
TRAILER	TRAILER - HEAVY TRUCKS	TRAILER - HEAVY TRUCKS	
	M 422 TRAILER-STEEL M 423 TRAILER M 223 TRAILER M 222 TRAILER-STEEL	M 277 TRAILER-STEEL	
TRANSPORTER/VANS			
	M 833 TRANS-SPEED 2 M 733 TRANS-SPEED VAN-LIFE		M 729 TOP-GRIP-SLG M 529 HI-GRIP M&S VAN-GRIP

Geschäftsbereich Semperit
Büttnerstraße 25
D-30165 Hannover

Postfach 169 · D-30001 Hannover

www.semperit-lkw-reifen.de
www.semperit-truck-tires.com